Sleep Apnea and Your Child



Does your child snore a lot? Does he sleep restlessly? Does he have difficulty breathing, or does he gasp or choke, while he sleeps?

If your child has these symptoms, he may have a condition known as sleep apnea.

Sleep apnea is a common problem that affects an estimated 2% of all children, including many who are undiagnosed.

If not treated, sleep apnea can lead to a variety of problems. These include heart, behavior, learning, and growth problems.

How do I know if my child has sleep apnea?

Symptoms of sleep apnea include

- Frequent snoring
- Problems breathing during the night
- Sleepiness during the day
- Difficulty paying attention
- Behavior problems

If you notice any of these symptoms, let your pediatrician know as soon as possible. Your pediatrician may recommend an overnight sleep study called a *polysomnogram*. Overnight polysomnograms are conducted at hospitals and major medical centers. During the study, medical staff will watch your child sleep. Several sensors will be attached to your child to monitor breathing, oxygenation, and brain waves. An electroencephalogram (EEG) is a test that measures brain waves.

The results of the study will show whether your child suffers from sleep apnea. Other specialists, such as pediatric pulmonologists, otolaryngologists, neurologists, and pediatricians with specialty training in sleep disorders, may help your pediatrician make the diagnosis.

What causes sleep apnea?

Many children with sleep apnea have larger tonsils and adenoids.

Tonsils are the round, reddish masses on each side of your child's throat. They help fight infections in the body. You can only see the adenoid with an x-ray or special mirror. It lies in the space between the nose and throat.

Large tonsils and adenoid may block a child's airway while she sleeps. This causes her to snore and wake up often during the night. However, not every child with large tonsils and adenoid has sleep

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN

apnea. A sleep study can tell your doctor whether your child has sleep apnea or if she is simply snoring.

Children born with other medical conditions, such as Down syndrome, cerebral palsy, or craniofacial (skull and face) abnormalities, are at higher risk for sleep apnea. Overweight children are also more likely to suffer from sleep apnea.

How is sleep apnea treated?

The most common way to treat sleep apnea is to remove your child's tonsils and adenoid. This surgery is called a tonsillectomy and adenoidectomy. It is highly effective in treating sleep apnea.

Another effective treatment is nasal continuous positive airway pressure (CPAP), which requires the child to wear a mask while he sleeps. The mask delivers steady air pressure through the child's nose, allowing him to breathe comfortably. Continuous positive airway pressure is usually used in children who do not improve after tonsillectomy and adenoidectomy, or who are not candidates for tonsillectomy and adenoidectomy.

Children who may need additional treatment include children who are overweight or suffering from another complicating condition. Overweight children will improve if they lose weight, but may need to use CPAP until the weight is lost.

Remember

Adenoid hidden above

hard palate

Enlarged

tonsils

A good night's sleep is important to good health. If your child suffers from the symptoms of sleep apnea, talk with your pediatrician. A proper diagnosis and treatment can mean restful nights and restful days for your child and your family.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.



The American Academy of Pediatrics is an organization of 60,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults American Academy of Pediatrics Convribut © 2003

Web site — www.HealthyChildren.org

Copyright © 2003 American Academy of Pediatrics, Updated 10/2012 All rights reserved.